JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 42

AUTHOR INDEX

* and ** refer to Memoirs 1 and 2, respectively, of The Paleontological Society.

	No.	Page
1. AGER, D. V., Paleoecology, *in* MOORE, R. C. (122)		
2. *AMSDEN, THOMAS W., Articulate brachiopods of the St. Clair Limestone (Silurian), Arkansas, and the Clarita Formation (Silurian), Oklahoma		1
3. ANDREWS, GEORGE W., New names for late Pleistocene diatom species (nomenclatural note)	1	224
4. ANGEL, J. LAWRENCE, Human evolution. An Introduction to man's adaptations, by Bernard G. Campbell (review)	3	859
5. ARAI, MARY NEEDLER, and MCGUGAN, ALAN, A Problematical coelenterate(?) from the Lower Cambrian, near Moraine Lake, Banff area, Alberta	1	205
6. AXELROD, DANIEL I., Late Tertiary plants (Oligocene—Pliocene), *in* MOORE, R. C. (122)		
7. BANDY, ORVILLE L., and VINCENT, EDITH, Manuel de micropaléontologie des foraminifères (systematique—stratigraphie), volume 1, généralités, systématique: Saccamminidae à Ataxophragmiidae (review)	2	610
8. BANKS, HARLAN P., Devonian plants, *in* MOORE, R. C. (122)		
9. BARDACK, DAVID, *Belonostomus* sp., the first holostean from the Austin Chalk (Cretaceous) of Texas (paleontological note)	5	1307
10. BARR, F. T., Late Cretaceous planktonic foraminifera from the coastal area east of Susa (Apollonia), northeastern Libya	2	308
11. BENSON, RICHARD H., The Bering Land Bridge, edited by David M. Hopkins (review)	5	1318
12. BENSON, RICHARD H., Post-Paleozoic Ostracoda, *in* MOORE, R. C. (122)		
13. BERMAN, DAVID S., Lungfish from the Lueders Formation (Lower Permian, Texas) and the *Gnathorhiza*-lepidosirenid ancestry questioned	3	827
14. BHALLA, S. N., A Note on the validity of *Haplophragmoides hagni* Bhalla (nomenclatural note)	4	1091
15. BISCHOFF, BERNHARD, *Zoophycos*, a polychaete annelid	6	1439
16. BJORK, PHILIP R., GOLDBERG, PAUL S., and KESLING, ROBERT V., New ophiuroid from Chester Series (Mississippian) of Illinois	1	197
17. BLACK, C. C., The Uintan rodent *Mytonomys*	3	853
18. BLAKE, D. BRYAN, Two new Eocene corals from Oregon	1	201
19. BOARDMAN, RICHARD S., and CHEETHAM, ALAN H., Bryozoa, *in* MOORE, R. C. (122)		
20. **BONNER, JOHN TYLER, Size change in development and evolution		1
21. BORK, KENNARD B., and PERRY, T. G., Bryozoa (Ectoprocta) of Champlainian age (Middle Ordovician) from northwestern Illinois and adjacent parts of Iowa and Wisconsin. Part II. *Bythotrypa, Diplotrypa, Hemiphragma, Heterotrypta, Stigmatella, Eridotrypa,* and *Nicholsonella*	2	337
22. BORK, KENNARD B., and PERRY, T. G., Bryozoa (Ectroprocta) of Champlainian age (Middle Ordovician) from northwestern Illinois and adjacent parts of Iowa and Wisconsin. Part III. *Homotrypa, Orbignyella, Prasopora, Monticulipora,* and *Cyphotrypa*	4	1042
23. BOUCOT, A. J., and HARPER, C. W., Silurian to lower Middle Devonian Chonetacea	1	143
24. BOUCOT, A. J., and JOHNSON, J. G., Evidence of color banding in a Lower Devonian rhynchonellid brachiopod	5	1208
BOUCOT, A. J., see JOHNSON, J. G. (82, 84)		
BRATT, J. G., see SWAIN, F. M. (184)		
25. BROWER, JAMES C., New Permian crinoid fauna from southern Nevada, by N. Gary Lane and G. D. Webster (review)	1	245
BROWNE, RUTH G., see POHL, E. ROBERT (141)		
26. BULMAN, O. M. B., Graptolithina, *in* MOORE, R. C. (122)		
BUZAS, MARTIN A., see MELLO, JAMES F. (119)		
27. CAMERON, BARRY, Commensalism of new serpulid worm from the Hamilton Group (Middle Devonian) of New York	3	850
28. CANIS, WAYNE F., Conodonts and biostratigraphy of the Lower Mississippian of Missouri	2	525
29. CARPENTER, FRANK M., Hexapods, *in* MOORE, R. C. (122)		
30. CARTER, JOHN L., New genera and species of Early Mississippian brachiopods from the Burlington Limestone	5	1140
31. CHANEY, RALPH W., Illustrated catalogue of fossil plants, by Riuji Endo (review)	3	860
CHAPLIN, JAMES R., see POHL, E. ROBERT (141)		
CHEETHAM, ALAN H., see BOARDMAN, R. S. (19)		
32. CISNE, JOHN L., Discovery of the subfamily Tropidocoryphinae (Trilobita) in North America (paleontological note)	1	231
33. CLARK, DAVID L., and MÜLLER, KLAUS J., The Basal opening of conodonts (paleontological note)	2	561

JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 42

AUTHOR INDEX

* and ** refer to Memoirs 1 and 2, respectively, of The Paleontological Society.

	No.	Page
1. AGER, D. V., Paleoecology, *in* MOORE, R. C. (122)		
2. *AMSDEN, THOMAS W., Articulate brachiopods of the St. Clair Limestone (Silurian), Arkansas, and the Clarita Formation (Silurian), Oklahoma		1
3. ANDREWS, GEORGE W., New names for late Pleistocene diatom species (nomenclatural note)	1	224
4. ANGEL, J. LAWRENCE, Human evolution. An Introduction to man's adaptations, by Bernard G. Campbell (review)	3	859
5. ARAI, MARY NEEDLER, and MCGUGAN, ALAN, A Problematical coelenterate(?) from the Lower Cambrian, near Moraine Lake, Banff area, Alberta	1	205
6. AXELROD, DANIEL I., Late Tertiary plants (Oligocene—Pliocene), *in* MOORE, R. C. (122)		
7. BANDY, ORVILLE L., and VINCENT, EDITH, Manuel de micropaléontologie des foraminifères (systematique—stratigraphie), volume 1, généralités, systématique: Saccamminidae à Ataxophragmiidae (review)	2	610
8. BANKS, HARLAN P., Devonian plants, *in* MOORE, R. C. (122)		
9. BARDACK, DAVID, *Belonostomus* sp., the first holostean from the Austin Chalk (Cretaceous) of Texas (paleontological note)	5	1307
10. BARR, F. T., Late Cretaceous planktonic foraminifera from the coastal area east of Susa (Apollonia), northeastern Libya	2	308
11. BENSON, RICHARD H., The Bering Land Bridge, edited by David M. Hopkins (review)	5	1318
12. BENSON, RICHARD H., Post-Paleozoic Ostracoda, *in* MOORE, R. C. (122)		
13. BERMAN, DAVID S., Lungfish from the Lueders Formation (Lower Permian, Texas) and the *Gnathorhiza*-lepidosirenid ancestry questioned	3	827
14. BHALLA, S. N., A Note on the validity of *Haplophragmoides hagni* Bhalla (nomenclatural note)	4	1091
15. BISCHOFF, BERNHARD, *Zoophycos*, a polychaete annelid	6	1439
16. BJORK, PHILIP R., GOLDBERG, PAUL S., and KESLING, ROBERT V., New ophiuroid from Chester Series (Mississippian) of Illinois	1	197
17. BLACK, C. C., The Uintan rodent *Mytonomys*	3	853
18. BLAKE, D. BRYAN, Two new Eocene corals from Oregon	1	201
19. BOARDMAN, RICHARD S., and CHEETHAM, ALAN H., Bryozoa, *in* MOORE, R. C. (122)		
20. **BONNER, JOHN TYLER, Size change in development and evolution		1
21. BORK, KENNARD B., and PERRY, T. G., Bryozoa (Ectoprocta) of Champlainian age (Middle Ordovician) from northwestern Illinois and adjacent parts of Iowa and Wisconsin. Part II. *Bythotrypa, Diplotrypa, Hemiphragma, Heterotrypta, Stigmatella, Eridotrypa,* and *Nicholsonella*	2	337
22. BORK, KENNARD B., and PERRY, T. G., Bryozoa (Ectroprocta) of Champlainian age (Middle Ordovician) from northwestern Illinois and adjacent parts of Iowa and Wisconsin. Part III. *Homotrypa, Orbignyella, Prasopora, Monticulipora,* and *Cyphotrypa*	4	1042
23. BOUCOT, A. J., and HARPER, C. W., Silurian to lower Middle Devonian Chonetacea	1	143
24. BOUCOT, A. J., and JOHNSON, J. G., Evidence of color banding in a Lower Devonian rhynchonellid brachiopod	5	1208
BOUCOT, A. J., see JOHNSON, J. G. (82, 84)		
BRATT, J. G., see SWAIN, F. M. (184)		
25. BROWER, JAMES C., New Permian crinoid fauna from southern Nevada, by N. Gary Lane and G. D. Webster (review)	1	245
BROWNE, RUTH G., see POHL, E. ROBERT (141)		
26. BULMAN, O. M. B., Graptolithina, *in* MOORE, R. C. (122)		
BUZAS, MARTIN A., see MELLO, JAMES F. (119)		
27. CAMERON, BARRY, Commensalism of new serpulid worm from the Hamilton Group (Middle Devonian) of New York	3	850
28. CANIS, WAYNE F., Conodonts and biostratigraphy of the Lower Mississippian of Missouri	2	525
29. CARPENTER, FRANK M., Hexapods, *in* MOORE, R. C. (122)		
30. CARTER, JOHN L., New genera and species of Early Mississippian brachiopods from the Burlington Limestone	5	1140
31. CHANEY, RALPH W., Illustrated catalogue of fossil plants, by Riuji Endo (review)	3	860
CHAPLIN, JAMES R., see POHL, E. ROBERT (141)		
CHEETHAM, ALAN H., see BOARDMAN, R. S. (19)		
32. CISNE, JOHN L., Discovery of the subfamily Tropidocoryphinae (Trilobita) in North America (paleontological note)	1	231
33. CLARK, DAVID L., and MÜLLER, KLAUS J., The Basal opening of conodonts (paleontological note)	2	561

34. CLARK, MARY GILMAN, and SHAW, ALAN B., Paleontology of northwestern Vermont. XV. Trilobites of the Upper Cambrian Gorge Formation (lower part of bed 3) 2 382
35. CLARK, MARY GILMAN, and SHAW, ALAN B., Paleontology of northwestern Vermont. XVI. Trilobites of the Upper Cambrian Gorge Formation (upper bed 3) 4 1014
CLARK, MARY GILMAN, see SHAW, ALAN B. (168)
CLARKE, R. T., see GIBSON, L. B. (56)
36. COATES, ANTHONY, Ancient environments, by Leo F. Laporte (review) 5 1322
37. COATES, ANTHONY, The History of life, by A. Lee McAlester (review) 5 1322
38. COCKBAIN, A. E., Distribution of the nautiloid *Aturia* in the Eocene (paleontological note) 5 1309
39. COLBERT, EDWIN H., Later fossil reptiles, *in* MOORE, R. C. (122)
40. COOPER, G. ARTHUR, Brachiopoda, *in* MOORE, R. C. (122)
41. CUFFEY, ROGER J., The Problem of man's antiquity—an historical survey (review) 2 604
DALE, BARRIE, see WALL, DAVID (204)
42. DELEVORYAS, THEODORE, Triassic plants, *in* MOORE, R. C. (122)
43. DELEVORYAS, THEODORE, Jurassic plants, *in* MOORE, R. C. (122)
44. DEMAR, ROBERT, The Permian labyrinthodont amphibian *Dissorophus multicinctus*, and adaptations and phylogeny of the Family Dissorophidae 5 1210
45. DORF, ERLING, Summary of paleobotany, *in* MOORE, R. C. (122)
46. DORF, ERLING, Cretaceous and Early Tertiary plants, *in* MOORE, R. C. (122)
DRUGG, WARREN S., see LOEBLICH, ALFRED R., JR. (110)
47. DUNBAR, CARL O., Fusulinina, *in* MOORE, R. C. (122)
48. DUTRO, J. T., JR., Brachiopoda of the Keyser Limestone (Silurian–Devonian) of Maryland and adjacent areas, by Zeddie Paul Bowen (review) 3 862
49. DUTRO, J. T., JR., Paleontology in the United States of America, *in* MOORE, R. C. (122)
50. EDITORS, THE PALEONTOLOGICAL SOCIETY, *Paleontologicheskiy Zhurnal* in translation (notice) 1 250
51. ELDREDGE, NILES, Convergence between two Pennsylvanian gastropod species: a multivariate mathematical approach 1 186
52. FELDMANN, RODNEY M., Color pattern on a Cretaceous tellinid bivalve 1 94
53. FLOWER, ROUSSEAU H., Cephalopods from the Tiñu Formation, Oaxaca State, Mexico 3 804
54. FREY, ROBERT W., The Lebensspuren of some common marine invertebrates near Beaufort, North Carolina. I. Pelecypod burrows (paleontological note) 2 570
55. FROST, S. H., and LANGENHEIM, R. L., JR., New name for the rugose coral *Temnophyllum waltheri* Frost and Langenheim (nomenclatural note) 5 1313
56. GIBSON, L. B., and CLARKE, R. T., Floral succession and palynological correlation (paleontological note) 2 576
57. GLAESSNER, MARTIN F., Precambrian fossils, *in* MOORE, R. C. (122)
GOLDBERG, PAUL S., see BJORK, PHILLIP R. (16)
58. GOLL, R. M., Classification and phylogeny of the Cenozoic Trissocyclidae (Radiolaria) in the Pacific and Caribbean Basins. Part 1 ..... 6 1409
59. **GOULD, STEPHEN JAY, Ontogeny and the explanation of form: an allometric analysis 81
60. GRANT, RICHARD E., Structural adaptation in two Permian brachiopod genera, Salt Range, West Pakistan 1 1
61. GRANT, RICHARD E., Carboniferous fossils of Queensland *and* Permian index fossils of Queensland, by D. Hill and J. T. Woods (review) 3 863
62. GRASSO, THOMAS X., A New coral bed in the Hamilton Group (Middle Devonian) of central New York 1 84
GRONBERG, E. C., see JOHNSON, J. G. (82)
63. GUILDAY, JOHN E., Quaternary extinction of large mammals, by Daniel I. Axlerod (review) 5 1319
64. GUTSCHICK, RAYMOND C., Late Mississippian (Chester) *Allagecrinus* (Crinoidea) from Illinois and Kentucky 4 987
GUTSCHICK, RAYMOND C., see RODRIGUEZ, JOAQUIN (154)
65. HAAS, OTTO, Recent literature on Mesozoic ammonites—Part IX 3 759
66. HANSMAN, ROBERT H., *Choanoceras?* from the Middle Silurian of Ontario (paleontological note) 2 575
HARPER, C. W., see BOUCOT, A. J. (23)
67. HATTIN, DONALD E., *Plesiacanthoceras wyomingense* (Reagan) from the Graneros Shale and Greenhorn Limestone (Upper Cretaceous) of central Kansas (paleontological note) .. 4 1084
68. HAZEL, JOSEPH E., Ostracodes from the Brightseat Formation (Danian) of Maryland 1 100
69. HAZEL, JOSEPH E., Pleistocene ostracode zoogeography in Atlantic Coast submarine canyons 5 1264
70. HECKER, R. F., Paleontology in the Soviet Union, in MOORE, R. C. (122)
71. HENNINGSMOEN, GUNNAR, Paleozoic Ostracoda, *in* MOORE, R. C. (122)
72. HILL, DOROTHY, Archaeocyatha, *in* MOORE, R. C. (122)
73. HILL, DOROTHY, Paleozoic Anthozoa, *in* MOORE, R. C. (122)
74. HOARE, R. D., and STURGEON, M. T., The Genus *Wewokella* (Porifera) in the Pennsylvanian of Ohio 1 81
75. HOROWITZ, ALAN STANLEY, The Ectoproct (bryozoan) genus *Actinotrypa* Ulrich 2 356
76. HOROWITZ, ALAN S., General palaeontology (review) 2 604
77. HOTTON, NICHOLAS, III, The Osteology of *Phlegothontia*, a Carboniferous and Permian aïstopod amphibian, by Helen J. McGinnis (review) 5 1321
78. HOWE, HERBERT, J., Brachiopoda of the suborder Strophomenidina in Czechoslovakia (review) 6 1488
79. ITURRALDE-VINENT, MANUEL A., Remarks on "Fundamentals of mid-Tertiary stratigraphic correlation" in reference to Cuba (paleontological note) 1 230

80. JAIN, S. L., Vomerine teeth of *Ceratodus* from the Maleri Formation (Upper Triassic, Deccan, India) 1 96
81. JEFFORDS, RUSSELL M., Chitinozoa, abundant Ordovician to Devonian microfossils, *in* MOORE, R. C. (122)
JOHNSON, CHARLIE E., see NELSON, SAMUEL J. (128)
82. JOHNSON, J. G., BOUCOT, A. J., and GRONBERG, E. C., A New genus of stringocephaloid brachiopod from the Middle Devonian of Nevada 2 406
83. JOHNSON, J. G., A New species of *Vagrania* (Devonian, Brachiopoda) from Nevada 5 1200
84. JOHNSON, J. G., and BOUCOT, A. J., External morphology of *Anatrypa* (Devonian, Brachiopoda) 5 1205
JOHNSON, J. G., see BOUCOT, A. J. (24)
JOHNSON, J. HARLAN, see TOOMEY, DONALD FRANCIS (195)
85. JUNG, PETER, Die moisän-mediterranen Gastropoden Ungarns, by László Strausz (review) . 1 248
86. KAESLER, R. L., and ROWELL, A. J., Biometrical procedures in paleontology, *in* MOORE, R. C. (122)
87. KANE, HENRY E., Recent microfaunal biofacies in Sabine Lake and environs, Texas and Louisiana 4 947
88. KAUFFMAN, ERLE G., Essays in paleontology and stratigraphy, R. C. Moore commemorative volume, edited by Curt Teichert and Ellis L. Yochelson (review) 3 864
KAUFFMAN, ERLE G., see NEWELL, N. D. (129)
89. KEEN, A. MYRA, Cenozoic invertebrate paleontology, western United States, *in* MOORE, R. C. (122)
90. KEMEŻYS, K. J., Arrangements of costellae, setae and vascula in enteletacean brachiopods .. 1 88
91. KESLING, ROBERT V., MACURDA, DONALD B., and PAUL, CHRISTOPHER R. C., Cystoidea, Blastoidea, and Edrioasteroidea, *in* MOORE, R. C. (122)
KESLING, ROBERT V., see BJORK, PHILIP R. (16)
KESLING, ROBERT V., see PAUL, C. R. C. (139)
92. KIER, PORTER M., The Triassic echinoids of North America 4 1000
93. KIER, PORTER M., *Nortonechinus*, and the ancestry of the cidaroid echinoids 5 1163
KIRKWOOD, SAMUEL, see SWAIN, F. M. (184)
KLAPPER, GILBERT, see ORR, R. WILLIAM (134)
94. KOBAYASHI, TEIICHI, Paleontology in eastern Asia, *in* MOORE, R. C. (122)
95. KOHUT, JOSEPH J., and SWEET, WALTER C., The American Upper Ordovician standard. X. Upper Maysville and Richmond conodonts from the Cincinnati region of Ohio, Indiana, and Kentucky 6 1456
96. KOSANKE, ROBERT M., Miospores in the coal seams of the Carboniferous of Great Britain, by A. H. V. Smith and Mavis A. Butterworth (review) 1 247
97. KUMMEL, BERNHARD, Paleontological correlation and zonation *in* MOORE, R. C. (122)
98. LADD, HARRY S., Fossil land snail from Funafuti, Ellice Islands (paleontological note) 3 857
99. LANE, H. RICHARD, Symmetry in conodont element-pairs 5 1258
LANGENHEIM, R. L., JR., see FROST, S. H. (55)
100. LANGSTON, WANN, JR., A Further note on *Pachyrhinosaurus* (Reptilia: Ceratopsia) (paleontological note) 5 1303
101. LENZ, A. C., Two new Lower Devonian atrypid brachiopods from Royal Creek, Yukon Territory, Canada 1 180
102. LESPÉRANCE, PIERRE J., Ordovician and Silurian trilobite faunas of the White Head Formation. Percé region, Quebec 3 811
103. LIPPS, JERE H., VALENTINE, JAMES W., and MITCHELL, EDWARD, Pleistocene paleoecology and biostratigraphy, Santa Barbara Island, California 2 291
104. LIPPS, JERE H., and SYLVESTER, ARTHUR G., The Enigmatic Cambrian fossil *Volborthella* and its occurrence in California 2 329
105. LOCHMAN, CHRISTINA, *Crepicephalus* faunule from the Bonneterre Dolomite (Upper Cambrian) of Missouri 5 1153
106. LOEBLICH, ALFRED R., JR., and LOEBLICH, ALFRED R., III, Index to the genera, subgenera, and sections of the Pyrrophyta, II 1 210
107. LOEBLICH, ALFRED R., JR., *Palaeoperidinium* Deflandre, 1934, or *Palaeoperidinium* Deflandre *ex* Sarjeant, 1967 (Pyrrophyta) (nomenclatural note) 2 583
108. LOEBLICH, ALFRED R., JR., and TAPPAN, HELEN, Annotated index and bibliography of the calcareous nannoplankton II (bibliography) 2 584
109. LOEBLICH, ALFRED R., JR., Katalog der fossilen Dinoflagellaten, Hystrichosphären und verwandten Mikrofossilien. Band I Dinoflagellaten. I Ergänzunglieferung (review) 2 607
110. LOEBLICH, ALFRED R., JR., and DRUGG, WARREN S., Heteraulacaceae (Phyrrophyta), a correction (nomenclatural note) 6 1486
LOEBLICH, ALFRED R., III, see LOEBLICH, ALFRED R., JR. (106)
LOEBLICH, ALFRED R., JR., see TAPPAN, HELEN (186, 187, 188)
111. LOGAN, ALAN, and MCGUGAN, ALAN, Biostratigraphy and faunas of the Permian Ishbel Group, Canadian Rocky Mountains 5 1123
112. LOHMAN, KENNETH E., Diatomaceae, *in* MOORE, R. C. (122)
113. MCCLAREN, D. J., Paleontology in Canada, *in* MOORE, R. C. (122)
MCGUGAN, ALAN, see ARAI, MARY NEEDLER (5)
MCGUGAN, ALAN, see LOGAN, ALAN (111)
114. MCLEAN, DEWEY M., Reworked palynomorphs in the Paleocene Naheola Formation of southwest Alabama 6 1478

**MacClintock, Copeland, see Pannella, Giorgio (137)
115. MacDonald, J. Reid, Oligocene sedimentation, paleoecology, and paleoclimatology in the Big Badlands of South Dakota, by John Clark, James R. Beerbower, and Kenneth K. Kietzke (review) 5 1315
116. MacTavish, John N., Malone, Phillip G., and Wells, Terry L., RMAR: A Reduced major axis regression program designed for paleontologic data (paleontological note) 4 1076
117. **Macurda, Donald B., Jr., Ontogeny of the crinoid *Eucalyptocrinites* 99
Macurda, Donald B., see Kesling, Robert V. (91)
Malone, Philip G., see MacTavish, John N. (116)
118. Mamay, Sergius H., Upper Paleozoic vascular plants, *in* Moore, R. C. (122)
Manheim, Frank T., see Schopf, Thomas J. M. (164)
Mathur, U. B., see Sastry, M. V. A. (159, 160)
Mellett, James S., see Valen, Leigh Van (201)
119. Mello, James F., and Buzas, Martin A., An Application of cluster analysis as a method of determining biofacies 3 747
120. Mintz, Leigh W., Echinoids of the Mesozoic Families Collyritidae d'Orbigny, 1853 and Disasteridae Gras, 1848 ..... 5 1272
Mitchell, Edward, see Lipps, Jere H. (103)
121. Monty, Claude L. V., D'Orbigny's concepts of stage and zone 3 689
122. Moore, R. C., and collaborators, Developments, trends, and outlooks in paleontology 6 1327
123. Mosher, J. Cameron, Triassic conodonts from western North America and Europe and their correlation 4 895
124. Mosher, L. Cameron, Evolution of Triassic platform conodonts 4 947
125. Mound, Michael C., Upper Devonian conodonts from southern Alberta 2 444
126. Moussa, Mounir T., Fossil tracks from the Green River Formation near Soldier Summit, Utah 6 1433
Müller, Klaus J., see Clark, David L. (33)
127. Nations, J. Dale, A New species of cancroid crab from the Pliocene of California 1 33
128. Nelson, Samuel J., and Johnson, Charlie E., Permo–Pennsylvanian brachythyrid and horridonid brachiopods from the Yukon Territory, Canada 3 715
129. Newell, Norman D., and Kauffman, Erle G., Bivalvia, *in* Moore, R. C. (122)
130. Nitecki, Matthew H., and Sadlick, Walter, Notable color pattern in a fossil brachiopod .. 2 403
Nitecki, Matthew H., see Solem, Alan (175)
131. **Oliver, William A., Jr., Some aspects of colony development in corals 16
132. Olson, Everett C., Early fossil reptiles, *in* Moore, R. C. (122)
133. Ormiston, Allen R., Lower Devonian trilobites of Hercynian type from the Turkey Creek Inlier, Marshall County, south-central Oklahoma 5 1186
134. Orr, R. William, and Klapper, Gilbert, Two new conodont species from Middle-Upper Devonian beds of Indiana and New York 4 1066
135. Palframan, D. F. B., A Method of representing ammonoid suture lines (paleontological note) 4 1082
136. Palmer, Allison R., and Stewart, John H., A Paradoxidid trilobite from Nevada 1 177
137. **Pannella, Giorgio, and MacClintock, Copeland, Biological and environmental rhythms reflected in molluscan shell growth 64
Pantoja-Alors, Jerjes, see Robison, Richard A. (153)
138. Park, Richard A., Paleoecology of *Venericardia sensu lato* (Pelecypoda) in the Atlantic and Gulf Coastal Province: an Application of paleosynecologic methods 4 955
139. Paul, C. R. C., and Kesling, Robert V., Echinodermes de l'Ordovicien du Maroc, by Jean Chauvel (review) 1 245
Paul, Christopher R. C., see Kesling, Robert V. (91)
Perry, T. G., see Bork, Kennard B. (21, 22)
140. Plicka, Miroslav, *Zoophycos*, and a proposed classification of sabellid worms 3 836
141. Pohl, E. Robert, Browne, Ruth G., and Chaplin, James R., Foraminifera of the Fraileys Member (Upper Mississippian) of central Kentucky (paleontological note) 2 581
142. Pojeta, John, Jr., Additional data on the Paleozoic pelecypod Family Ambonychiidae 5 1255
143. Pollock, C. A., Lower Upper Devonian conodonts from Alberta, Canada 2 415
144. Quinn, James H., and Saunders, W. Bruce, The Ammonoids *Hudsonoceras* and *Baschkirites* in the Morrowan Series of Arkansas 2 397
145. Rasetti, Franco, New name for the trilobite genus *Hawkinsia* Rasetti (nomenclatural note) 5 1313
146. **Raup, David M., Theoretical morphology of echinoid growth 5
147. Raup, David M., Paleontological techniques, *in* Moore, R. C. (122)
Raup, David M., see Weber, Jon W. (206)
148. Reid, R. E. H., *Hyalostelia smithii* (Young & Young) and the sponge genus *Hyalostelia* Zittel (Class Hexactinellida) 5 1243
149. Reid, R. E. H., The Carboniferous sponge *"Doryderma" dalryense* Hinde (Class Demospongia) and the origin of heloclones and megaclones 5 1249
150. Reid, R. E. H., Porifera, *in* Moore, R. C. (122)
151. Reyment, R. A., Paleontology in western continental Europe, *in* Moore, R. C. (122)
152. Rhodes, F. H. T., Conodontophorida, *in* Moore, R. C. (122)
Rickards, R. B., see Whittington, H. B. (210)
153. Robison, Richard A., and Pantoja-Alor, Jerjes, Tremadocian trilobites from the Nochixtlán region, Oaxaca, Mexico 3 767

154. RODRIGUEZ, JOAQUIN, and GUTSCHICK, RAYMOND C., *Productina, Cyrtina,* and *Dielasma* (Brachiopoda) from the Lodgepole Limestone (Mississippian) of southwestern Montana .. 4 1027
155. ROMER, ALFRED SHERWOOD, Summary of vertebrate paleontology, *in* MOORE, R. C. (122)
ROWELL, A. J., see KAESLER, R. L. (86)
156. *RUDWICK, M. J. S., Some analytic methods in the study of ontogeny in fossils with accretionary skeletons 35
SADLICK, WALTER, see NITECKI, MATTHEW H. (130)
157. SANDERSON, G. A., The Fusulinacean zones of Japan (review) 6 1487
158. SARJEANT, WILLIAM ANTHONY S., The Tappan–Loeblich reviews on dinoflagellate and acritarch publications: a reply (review) 2 599
159. SASTRY, M. V. A., and MATHUR, U. B., Nautiloid *Aturia* from Eocene of western India (paleontological note) 1 240
160. SASTRY, M. V. A., and MATHUR, U. B., Correction: nautiloid *Aturia* from Eocene of Western India (errata) 5 1323
SAUNDERS, W. BRUCE, see QUINN, JAMES H. (144)
161. SCHINDEWOLF, OTTO H., Aspects of ammonoid paleontology *in* MOORE, R. C. (122)
162. SCHOPF, JAMES M., Presentation of The Paleontological Society Medal to Carl O. Dunbar .. 3 868
163. SCHOPF, J. WILLIAM, Microflora of the Bitter Springs Formation, Late Precambrian, central Australia 3 651
164. SCHOPF, THOMAS J. M., and MANHEIM, FRANK T., Chemical composition of Ectoprocta (Bryozoa): Addenda (paleontological note) 3 858
165. SCHRAM, FREDERICK R., *Paleosquilla* gen. nov.—a stomatopod (Crustacea) from the Cretaceous of Colombia 5 1297
166. SCOTT, RICHARD A., Triassic fossils of Queensland *and* Jurassic fossils of Queensland, by D. Hill, G. Playford, and J. T. Woods (review) 3 863
167. SHAEFFER, BOBB, Fossil fishes, *in* MOORE, R. C. (122)
168. SHAW, ALAN B., and CLARK, MARY GILMAN, Paleontology of northwestern Vermont. XIV. Type section of the Upper Cambrian Gorge Formation 2 374
SHAW, ALAN B., see CLARK, MARY GILMAN (34, 35)
169. SHINN, EUGENE A., Burrowing in Recent lime sediments of Florida and the Bahamas 4 879
170. SIMPSON, GEORGE GAYLORD, Fossil mammals, *in* MOORE, R. C. (122)
171. SLAUGHTER, BOB H., The Neglected angle in descriptive and interpretive vertebrate paleontology (technique) 5 1311
172. SLAUGHTER, BOB H., and STEINER, MAUREEN, Notes on rostral teeth of ganopristine sawfishes, with special reference to Texas material (paleontological note) 1 233
173. SOHL, N. F., Mollusca from the Upper Cretaceous Jalama Formation, Santa Barbara County, California, by D. H. Dailey and W. P. Popenoe (review) 1 247
174. SOHL, N. F., Post-Paleozoic Gastropoda, *in* MOORE, R. C. (122)
175. SOLEM, ALAN, and NITECKI, MATTHEW H., *Cyclospongia discus* Miller, 1891: A Gastropod operculum, not a sponge 4 1007
176. STANLEY, STEVEN M., Post-Paleozoic adaptive radiation of infaunal bivalve molluscs—a consequence of mantle fusion and siphon formation 1 214
177. STEHLI, FRANCIS G., Paleobiogeography in relation to paleomagnetism, *in* MOORE, R. C. (122)
178. STEINER, MAUREEN B., and WILLIAMS, THOMAS E., Fusulinidae of the Laborcita Formation (Lower Permian), Sacramento Mountains, New Mexico 1 51
STEINER, MAUREEN, see SLAUGHTER, BOB H. (172)
STEWART, JOHN H., see PALMER, ALLISON R. (136)
179. STEWART, WENDELL J., Schubertellinae from the Wolfcamp, Lower Permian, Franklin Mountains, Texas 2 322
180. STRIMPLE, HAROLD L., University of Kansas Paleontological Contributions, Articles 8-10 (review) 6 1487
181. STUBBLEFIELD, C. J., Paleontology in Britain, *in* MOORE, R. C. (122)
182. STUMM, ERWIN C., New names for coral homonyms (nomenclatural note) 1 244
STURGEON, M. T., see HOARE, R. D. (74)
183. SULLIVAN, HERBERT J. Atlas der Mittel- und jungtertiären dispersen Sporen—und Pollen—sowie der Mikroplanktonformen des nördlichen Mitteleuropas Lieferung IV und V (review) 2 606
184. SWAIN, F. M., BRATT, J. G., and KIRKWOOD, SAMUEL, Possible biochemical evolution of carbohydrates of some Paleozoic plants (paleontological note) 4 1078
185. SWAIN, F. M., Ostracoda from the Gulf of California: Additions and corrections and availability of IBM data cards (paleontological note) 4 1090
SWEET, WALTER C., see KOHUT, JOSEPH J. (95)
SYLVESTER, ARTHUR G., see LIPPS, JERE H. (104)
186. TAPPAN, HELEN, and LOEBLICH, ALFRED R., JR., Protista other than Foraminiferida, *in* MOORE, R. C. (122)
187. TAPPAN, HELEN, and LOEBLICH, ALFRED R., JR., Foraminiferida, *in* MOORE, R. C. (122)
188. TAPPAN, HELEN, and LOEBLICH, ALFRED R., JR., Lorica composition of modern and fossil Tintinnida (ciliate Protozoa), systematics, geologic distribution, and some new Tertiary taxa 6 1378
TAPPAN, HELEN, see LOEBLICH, ALFRED R., JR. (108)
189. TAYLOR, MICHAEL E., The Mindyallan fauna of north-western Queensland, by A. A. Öpik (review) 5 1319
190. TEICHERT, CURT, Einführung in die Geschiebeforschung (review) 2 603

191. TEICHERT, CURT, Devonian reef complexes of the Canning Basin, Western Australia (review) 2 609
192. TEICHERT, CURT, Nonammonoid Cephalopoda, *in* MOORE, R. C. (122)
193. THOMSON, KEITH STEWART, Further note on the structure of rhipidistian fishes (paleontological note) 1 243
194. THURMOND, JOHN T., A New polycotylid plesiosaur from the Lake Waco Formation (Cenomanian) of Texas) 5 1289
195. TOOMEY, DONALD FRANCIS, and JOHNSON, J. HARLAN, *Ungdarella americana*, a new red alga from the Pennsylvanian of southeastern New Mexico 2 556
196. TRAVERSE, ALFRED, Pflanzensoziologie und Palynologie: Bericht über das Internationale Symposium in Stolzenau/Weser 1962, der Internationalen Vereinigung für Vegetationskunde (review) 2 603
197. UBAGHS, GEORGES, Crinoidea, *in* MOORE, R. C. (122)
198. UTGAARD, JOHN, Bryozoan *Tabulipora carbonaria* in Wreford Megacyclothem (Lower Permian) of Kansas (review) 2 601
199. UTGAARD, JOHN, A Revision of North American genera of ceramoporoid bryozoans (Ectoprocta): Part 1; Anolotichiidae 4 1033
200. UTGAARD, JOHN, A Revision of North American genera of ceramoporoid bryozoans (Ectoprocta): Part 2; *Crepipora, Ceramoporella, Acanthoceramoporella,* and *Ceramophylla* . 6 1444
201. VALEN, LEIGH VAN, and MELLETT, JAMES S., Familial position of *Oxyaenoides* (Mammalia: Deltatheridia) (paleontological note) 5 1302
202. VALENTINE, JAMES W., The Evolution of ecological units above the population level 2 253
VALENTINE, JAMES W., see LIPPS, JERE H. (103)
VINCENT, EDITH, see BANDY, ORVILLE L. (7)
203. **VOORHIES, M. R., Evidence of seasonal growth in Tertiary vertebrate fossils (abstract) .. 119
204. WALL, DAVID, and DALE, BARRIE, Quaternary calcareous dinoflagellates (Calciodinellideae) and their natural affinities 6 1395
205. WATERHOUSE, J. B., New species of *Megousia* Muir-Wood and Cooper and allied new genus from the Permian of Australia and North America 5 1171
206. WEBER, JON W., and RAUP, DAVID M., Comparison of C^{13}/C^{12} O^{18}/O^{16} in the skeletal calcite of Recent and fossil echinoids 1 37
207. WEISBORD, NORMAN E., The Occurrence of the cheilostomatous bryozoan *Reteporellina marsupiata* (Smitt) in the lower Pliocene of Venezuela (paleontological note) 5 1304
208. WELLER, J. MARVIN, Evolution of mammalian teeth 2 268
209. WELLS, JOHN W., Scleractinian Anthozoa, *in* MOORE, R. C. (122)
WELLS, TERRY L., see MACTAVISH, JOHN N. (116)
210. WHITTINGTON, H. B., and RICKARDS, R. B., New tuboid graptolite from the Ordovician of Ontario 1 61
211. WHITTINGTON, H. B., *Cryptolithus* (Trilobita): specific characters and occurrence in Ordovician of eastern North America 3 702
212. WHITTINGTON, HARRY B., Trilobitomorpha, *in* MOORE, R. C. (122)
WILLIAMS, THOMAS E., see STEINER, MAUREEN B. (178)
213. WILSON, DRUID, Catalogue of invertebrate fossil types at Academy of Natural Sciences of Philadelphia, compiled by Horace G. Richards (review) 5 1321
214. WILSON, L. R., Palynology, *in* MOORE, R. C. (122)
215. WRAY, JOHN L., Bibliography of fossil Algae, algal limestones, and the geological work of Algae (review) 4 1092
216. YOCHELSON, ELLIS L., Tremadocian mollusks from the Nochixtlan region, Oaxaca, Mexico . 3 801
217. YOCHELSON, ELLIS L., Announcement by International Commission on Zoological Nomenclature (notice) 3 867
218. YOCHELSON, ELLIS L., Announcement by International Commission on Zoological Nomenclature (notice) 5 1314
219. YOCHELSON, ELLIS L., Aspects of Tethyan biogeography, edited by C. G. Adams and D. V. Ager (review) 5 1317
220. YOCHELSON, ELLIS L., Paleozoic Gastropoda, *in* MOORE, R. C. (122)
221. YOCHELSON, ELLIS L., Announcement by International Commission on Zoological Nomenclature 6 1490
222. YOUNG, KEITH, Upper Albian (Cretaceous *M. romeri* Zone) ammonites in Texas and Mexico 1 70
223. ZINGULA, R. P. A New breakthrough in sample washing (technique) 4 1092

SUBJECT INDEX

* and ** refer to Memoirs 1 and 2, respectively, of The Paleontological Society.

Acanthoceramoporella crassimurale: new genus, new combination, bryozoan (200)
Acanthoceramoporella granulosa: new genus, new combination, bryozoan (200)
Acanthoceramoporella triloba: new genus, new combination, bryozoan (200)
Acanthocythereis princegeorgensis: new species, ostracod (68)
Acanthocythereis washingtonensis: new species. ostracod (68)
Actinotrypa: detailed treatment, bryozoan (75)
Alabama: Paleocene palynomorphs (114)
Alberta: Cambrian coelenterates? (5); Devonian conodonts (125, 143)

Algae: Pennsylvanian, New Mexico (195)
Allagecrinus: described from Mississippian strata, Illinois, Kentucky, crinoid (64)
Allagecrinus coronarius: new species, crinoid (64)
Allagecrinus elegantulus: new species, crinoid (64)
Ambonychiidae: discussion of Paleozoic pelecypod family (142)
Ammonoids: Mesozoic, recent literature (65); Cretaceous, Kansas (67), Texas, Mexico (222); representation of suture lines (135); Pennsylvanian, Arkansas (144); status of knowledge (161)
Amphibians: Permian, Texas (44); brief discussion of teeth (208)
Anaöaenidium johnsonii: new genus, new species, cyanophyte (163)
Anatrypa: external morphology described, brachiopod (84)
Angelina spinosa: new species, trilobite (153)
Anidanthinae: new subfamily, brachiopod (205)
Anolotichia: redefinition of Ordovician bryozoan genus (199)
Anolotichiidae: new family, bryozoan (199)
Anopliidae: family revised, brachiopod (23)
**Antirhynchonella thomasi:* new species, brachiopod (2)
Aptognathus: new species, conodont (143)
Archaeocyathids: status of knowledge (72)
Archaeodoryderma dalryense: new genus, new combination, sponge (149)
Archaeodorydermatidae: new family, sponge (149)
Archaeonema longicellularis: new genus, new species, cyanophyte (163)
Archaeotrichion contortum: new genus, new species, schizomycophyte (163)
Arkansas: *Silurian brachiopods (2); Pennsylvanian ammonoids (144)
Arroyo Formation: Permian, Texas, lungfish (13)
Asaphellus artus: new species, trilobite (153)
Asaphellus aspinus: new species, trilobite (153)
Asaphellus communis: new species, trilobite (153)
Asia: status of paleontologic knowledge (94)
Atlantic Coast: Pleistocene ostraçode zoogeography (69)
Atlantic Coastal Province: Cenozoic pelecypods (*Venericardia sensu lato*), foraminifers, ostracods, bryozoans, ophiuroids, echinoids, holothurians, paleoecology (138)
**Atrypina erugata:* new species, brachiopod (2)
Aturia: geographic distribution, nautiloid (38); reported from Eocene strata, India (159), correction (160)
Austin Chalk: Cretaceous, Texas, fish (9)
Australia: Eocene nautiloids (38); Late Precambrian cyanophytes, chlorophytes, pyrrophytes?, eumycophytes?, schizomycophytes (163); Permian brachiopods (205)
Bahamas: Recent burrowing organisms (169)
Bailliena yukonensis: new genus, new species, brachiopod (128)
Baschkirites: described from Pennsylvanian strata, Arkansas, ammonoid (144)
Baschkirites librovitchi: new species, ammonoid (144)
Bathurst Island Group: Permian, Canada, brachiopods (24)
Bellaspis longifrons: new species, trilobite (34)
Belonostomus: reported from Cretaceous strata, Texas, fish (9)
Bergaueria: discussion of origin, coelenterate? (5)
Bienvillia grandis: new species, trilobite (153)
Bifodina longifrons: new genus, new species, trilobite (153)
Bigranuella latigenae: new genus, new species, trilobite (34)
Biocatenoides rhabdos: new genus, new species, schizomycophyte (163)
Biocatenoides sphaerula: new genus, new species, schizomycophyte (163)
Biofacies: determined by cluster analysis (119)
Biometrical procedures: status of knowledge (86)
Biostratigraphy: Mississippian, Missouri (28); Pleistocene, Santa Barbara Island, California (103); Permian, Canadian Rocky Mountains (111)
Birds: Eocene, Utah, tracks only (126)
Bitter Springs Formation: Late Precambrian, Australia, cyanophytes, chlorophytes, pyrrophytes?, eumycophytes?, schizomycophytes (163)
Bivalves: see pelecypods
Blastoids: status of knowledge (91)
Boeseites romeri: new subgenus, new combination, ammonoid (222)
Bonneterre Dolomite: Cambrian, Missouri, tribolites (105)
**Boucotides barrandi:* new genus, new species, brachiopod (2)
Brachiopods: *Silurian, Arkansas, Oklahoma (2), Chonetacea (23); Devonian, Chonetacea (23), Nevada (82, 83), external morphology of *Anatrypa* (84), Yukon Territory (101); Permian, Canada, color banding (24), West Pakistan, structural adaptation (60), Canadian Rocky Mountains (111), Australia, Canada, Oregon, Spitzbergen (205); Mississippian, Missouri (30), color pattern in *Orthotetes kaskaskiensis* (130), Montana (154); status of knowledge (40); costellae, setae, and vascula (90); Permo-Pennsylvanian, Yukon Territory, Canada (128)
Brightseat Formation: Paleocene, Maryland, ostracods (68)
Britain: status of paleontologic knowledge (181)
Bryozoans: status of knowledge (19); Ordovician, Illinois, Iowa, Wisconsin (21, 22), North America (199, 200); detailed treatment of *Anisotrypa* (75); Cenozoic, Atlantic and Gulf Coastal Province (138); chemical composition (164); Pliocene, Venezuela (207)
Burlington Limestone: Mississippian, Missouri, brachiopods (30)

Burrowing organisms and structures: Recent, Florida, Bahamas (169)
Bythotrypa: described from Ordovician strata, Iowa, Wisconsin, bryozoan (21); genus redefined (199)
C^{13}/C^{12}: in skeletons of Recent and fossil echinoids (206)
Caenanoplia burlingtonensis: new genus, new species, brachiopod (30)
Calciodinellideae: Quaternary, several localities, dinoflagellates (204)
California: Pleistocene paleoecology and biostratigraphy (103); Cambrian occurrences of *Volborthella* (104); Pliocene crabs (127)
Calyptothrix annulata: new genus, new species, cyanophyte (163)
Cambrian: coelenterates?, Alberta (5); trilobites, Vermont (34, 35), Missouri (105), Nevada (136), Mexico (153); nautiloids, Mexico (53); *Volborthella,* occurrences in California (104); description of type section of Gorge Formation, Vermont (168); gastropods, Mexico (216)
Camptognathus conus: new genus, new species, conodont (143)
Canada: Devonian brachiopods (24); Cretaceous reptiles (100); Permian brachiopods, gastropods, fish (111), brachiopods (205); status of knowledge (113); Permo-Pennsylvanian brachiopods (128)
Canadian Rocky Mountains: Permian brachiopods, gastropods, fish (111)
Cancer davidi: new species, crab (127)
Carbohydrates: biochemical evolution in Paleozoic plants (184)
Carboniferous: sponges, *"Doryderma" dalryense* and origin of heloclones and megaclones (149)
Caribbean Basin: Cenozoic radiolarians (58)
Caryosphaeroides pristina: new genus, new species, chlorophyte (163)
Caryosphaeroides tetras: new genus, new species, chlorophyte (163)
Caudiculophycus rivularioides: new genus, new species, cyanophyte (163)
Cenozoic: radiolarians, Pacific and Caribbean Basins (58); invertebrate paleontology, western United States (89); pelecypods (*Venericardia sensu lato*), foraminifers, ostracods, bryozoans, ophiuroids, echinoids, holothurians (138)
Cephalophytarion grande: new genus, new species, cyanophyte (163)
Cephalophytarion minutum: new genus, new species, cyanophyte (163)
Cephalopods: status of knowledge of nonammonoid forms (192)
Ceramophylla: genus emended, bryozoan (200)
Ceramoporella: genus emended, bryozoan (200)
Ceramoporidae: family emended, bryozoan (200)
Ceratodus: vomerine teeth described, Triassic, India, lungfish (80)
Ceratonurus selcanus dilatus: new subspecies, tribolite (133)
Ceraunosaurus brownorum: new genus, new species, reptile (194)
Chester Series: Mississippian, Illinois, ophiuroids (16); Mississippian, Illinois, Kentucky, crinoids (64)
Chhidru Formation: Permian, West Pakistan, brachiopods (60)
Chirodella erecta: new species, conodont (123)
Chitinozoans: status of knowledge (81)
Chlorophytes: Late Precambrian, Australia (163)
Choanoceras?: described from Silurian strata, Ontario, nautiloid (66)
Chonetacea: Silurian to lower Middle Devonian, brachiopods (23)
Cladopora bellensis: new name, coral (182)
*Clarita Formation: Silurian, Oklahoma, brachiopods (2)
Clavulodus reniformis: new genus, new species, conodont (125)
Clithrocytheridea beauchampi: new species, ostracod (68)
Clithrocytheridea kauffmani: new species, ostracod (68,
Clithrocytheridea marylandica: new species, ostracod (68)
Cluster analysis: use in determining biofacies (119)
Codonellidae: family emended, tintinnid (188)
Coelenterates?: Cambrian, Alberta (5)
Collyritidae: discussion of family, echinoid (120)
Colombia: Cretaceous crustaceans (165)
Composita pikensis: new species, brachiopod (30)
Computer program: RMAR, a program for biometric analysis of paleontologic data (116)
Conodonts: Mississippian, Missouri (28); discussion of basal opening (33); Ordovician, Ohio, Indiana, Kentucky (95); symmetry in element pairs (99); Triassic, North America, Europe (123), evolution of platform types (124); Devonian, Alberta (125, 143), Indiana, New York (134); status of knowledge (152)
Conomimus truncatus: new genus, new species, brachiopod (82)
Contortothrix vermiformis: new genus, new species, cyanophyte (163)
Corals: Eocene, Oregon (18); new and suppressed name (55); Devonian, New York (62); Paleozoic, status of knowledge (73); **discussion of colony development (131); new names for homonyms (182); status of knowledge of scleractinians (209)
Cornuproetus pictus contractus: new subspecies, trilobite (133)
Correlation: palynological methods (56); status of knowledge (97)
Crabs: Pliocene, California (127)
Crassaluna epidermata: new genus, new combination, bryozoan (199)
Cratognathodus kochi: new genus, new combination, conodont (123)
Cratognathodus posterognathus: new genus, new species, conodont (123)
Crepicephalus faunule: described from Cambrian rocks of Missouri, trilobites (105)
Crepipora: genus emended, bryozoan (200)
Cretaceous: fish, Texas (9, 172); formaminifers, Libya (10); plants, status of knowledge (46); pelecypods, North Dakota (52); ammonoids, Kansas (67), Texas, Mexico (222); reptiles, Canada (100),

Texas (194); crustaceans, Colombia (165)
Crinoids: Mississippian, Illinois, Kentucky (64); **Silurian, ontogeny of *Eucalyptocrinites* (117); status of knowledge (197)
Crustaceans: Cretaceous, Colombia (165)
Cryptolithus: specific characters and occurrence in Ordovician strata, eastern North America, trilobite (211)
Cuba: remarks on *Fundamentals of mid-Tertiary stratigraphical correlation* (79)
Cyanonema attenuata: new genus, new species, cyanophyte (163)
Cyanophytes: Late Precambrian, Australia (163)
Cyclospongia discus: gastropod operculum, not a sponge, Devonian, Silurian (?), Indiana (175)
Cyphotrypa: described from Ordovician strata, Iowa, bryozoan (22)
Cypridodella conflexa: new genus, new species, conodont (123)
Cypridodella delicatula: new genus, new species, conodont (123)
Cypridodella mediocris: new genus, new combination, conodont (123)
Cypridodella muelleri: new genus, new combination, conodont (123)
Cypridodella scolosculptura: new genus, new species, conodont (123)
Cypridodella spengleri: new genus, new combination, conodont (123)
Cypridodella unialata: new genus, new species, conodont (123)
Cypridodella venusta: new genus, new combination, conodont (123)
Cyrtina: described from Lodgepole Limestone (Mississippian), Montana, brachiopod (154)
Cyrtoniscus nectus: new genus, new combination, brachiopod (23)
Cystoids: status of knowledge (91)
Cytherelloidea? addisonensis: new species, ostracod (68)
Cytheropteron walkeri: new species, ostracod (68)
Czechoslovakia: *Zoophycos,* worm (140)
Dasmia americana: new species, coral (18)
Davidsoniatrypa johnsoni: new genus, new species, brachiopod (101)
Dawsonelloides canadensis: new genus, new combination, brachiopod (23)
Dendrospyris: genus emended, radiolarian (58)
Dendrospyris acuta: new species, radiolarian (58)
Dendrospyris binapertonis: new species, radiolarian (58)
Dendrospyris inferispina: new species, radiolarian (58)
Dendrospyris pannosa: new species, radiolarian (58)
Dendrospyris stabilis: new species, radiolarian (58)
Devonian: plants, status of knowledge (8); brachiopods, Chonetacea (23), color banding (24), Nevada (82, 83), external morphology of *Anatrypa* (84), Yukon Territory (101); trilobites, New York (32), Oklahoma (133); corals, New York (62); echinoids (93); conodonts, Alberta (125, 143), New York, Indiana (134); *Cyclospongia discus* (gastropod operculum), Indiana (175)
Diasteridae: discussion of family, echinoid (120)
Diatoms: Pleistocene, new names for homonyms (3); status of knowledge (112)
**Dicamaropsis parva:* new genus, new combination, brachiopod (2)
Dichodella alternata: new genus, new species, conodont (123)
**Dicoelosia bilobella:* new species, brachiopod (2)
Dielasma: described from Lodgepole Limestone (Mississippian), Montana, brachiopod (154)
Dinoflagellates: Quaternary, several localities (204)
Diplotrypa: described from Ordovician strata, Iowa, bryozoan (21)
Dissorophidae: adaptations and phylogeny, amphibian (44)
Dissorophus multicinctus: Permian, Texas, amphibian (44)
**"Dolerorthis" nanella:* new species, brachiopod (2)
"Doryderma" dalryense: Carboniferous, sponge (149)
Drepanodina lachrymosa: new genus, new species, conodont (125)
Dunbar, Carl O.: recipient of The Paleontological Society Medal (162)
Dunderbergia directifrons: new species, trilobite (34)
Echinauris: discussion of structural adaptation, brachiopod (60)
Echinoids: Triassic, North America (92); Devonian, *Lepidocentrodus, Nortonechinus,* evolutionary trends (93); Mesozoic, discussion of families Collyritidae and Diasteridae (120); Cenozoic, Atlantic and Gulf Coastal Province (138); **theoretical morphology of growth (146); C^{13}/C^{12} and O^{18}/O^{16} in skeletons of Recent and fossil forms (206)
Ecology and paleoecology: status of knowledge (1); Cretaceous, foraminifers, Libya (10); Eocene, worms, Greece (15), birds, mammals, Utah (126); Devonian, worms, New York (27); Permian, brachiopods, West Pakistan (60); Paleocene, ostracods, Maryland (68); Pennsylvanian, sponges, Ohio (74); *Actinotrypa,* bryozoan (75); Pleistocene, foraminifers, mollusks, ostracods, vertebrates, Santa Barbara Island, California (103); Cambrian, trilobites, Missouri (105); Pliocene, crabs, California (127); Cenozoic, pelecypods (*Venericardia sensu lato*), foraminifers, ostracods, bryozoans, ophiuroids, echinoids, holothurians, Atlantic and Gulf Coastal Province (138); worms (140); Recent, burrowing organisms, Florida, Bahamas (169); post-Paleozoic, pelecypods (176); Tertiary, tintinnids (188); properties of ecological hierarchy (202)
Ectoprocts: see bryozoans.
Edmonton Formation: Cretaceous, Canada, reptiles (100)
Edrioasteroids: status of knowledge (91)
Ellice Islands: Pleistocene or Recent snails (98)
Eobucania mexicana: new species, gastropod (216)
Eocene: worms, Greece (15); rodents, Utah (17); corals, Oregon (18); nautiloids, Australia, South

America (38), India (159, 160); tracks, Utah (126); tintinnids, Mississippi (188)
Eodevonaria: genus revised, brachiopod (23)
Eodevonaria elymencheri: new species, brachiopod (23)
Eomycetopsis filiformis: new genus, new species, eumycophyte (163)
Eomycetopsis robusta: new genus, new species, eumycophte (163)
Eoplicanoplia collicula: new genus, new combination, brachiopod (23)
**Eospirifer acutolineatus acutolineatus:* new species and subspecies, brachiopod (2)
**Eospirifer acutolineatus pentagonus:* new species and subspecies, brachiopod (2)
Epigondolella abneptis: new genus, new combination, conodont (123)
Epigondolella bidentata: new genus, new species, conodont (123)
Epigondolella mungoensis: new genus, new combination, conodont (123)
Epithemia emarginata: new name, diatom (3)
Eridotrypa: described from Ordovician strata, Illinois, bryozoan (21)
Eridotrypa subtilis: new species, bryozoan (21)
***Eucalyptocrinites:* ontogeny of Silurian crinoid (117)
Eumycophytes?: Late Precambrian, Australia (163)
Europe: Triassic conodonts correlated with North American faunas (123); evolution of Triassic platform conodonts (124); status of paleontologic knowledge (151); Eocene tintinnids (188)
Evolution: **size change discussed (20); ecological units above population level (202); mammalian teeth (208)
Filogranites booiji: new genus, new species, worm (27)
Fish: Cretaceous, Texas (9); Triassic, India (80); Permian, Canadian Rocky Mountains (111); summary of knowledge (167); Cretaceous-Paleocene, Texas (172); structure of rhipidistians (193); evolution of teeth (208)
Florida: Recent burrowing organisms (169)
Foraminifers (exclusive of fusulinids): Cretaceous, Libya (10); discussion of validity of *Haplophragmoides hagni* (14); Pleistocene, Santa Barbara Island, California (103); Recent, determination of biofacies by cluster analysis (119); Cenozoic, Atlantic and Gulf Coastal Province (138); Mississippian, Kentucky (141); status of knowledge (187)
Fox Hills Formation: Cretaceous, North Dakota, pelecypods (52)
Fraileys Member: Mississippian, Kentucky, foraminifera (141)
Fusulinids: status of knowledge (47); Permian, New Mexico (178); Permian, Texas (179)
Gastropods: Pennsylvanian, convergence between two species (51); **ontogenetic allometry in *Poecilozonites bermudensis* (59); Pleistocene or Recent, Ellice Islands (98); Permian, Canadian Rocky Mountains (111); post-Paleozoic, status of knowledge (174); Devonian, Silurian?, Indiana (175); Tremadocian (Cambrian-Ordovician), Mexico (216); Paleozoic, status of knowledge (220)
Geragnostus curvata: new species, trilobite (153)
Glabrocingulum (Anania) welleri: convergence with *Worthenia tabulata*, gastropod (51)
Glenobotrydion aenigmatis: new genus, new species, chlorophyte (163)
Globophycus rugosum: new genus, new species, chlorophyte (163)
Gloeodinopsis lamellosa: new genus, new species, pyrrophyte? (163)
Gnathorhiza: Permian, Texas, lungfish (13)
Gorge Formation: Cambrian, Vermont, trilobites (34, 35), description of type section (168)
Graneros Shale: Cretaceous, Kansas, ammonoids (67)
Graptolites: status of knowledge (26); Ordovician, Ontario (210)
Greece: Eocene worms (15)
Greenhorn Limestone: Cretaceous, Kansas, ammonoids (67)
Green River Formation: Eocene, Utah, tracks (126)
Gulf Coastal Province: Cenozoic pelecypods (*Venericardia sensu lato*), foraminifers, ostracods, bryozoans, echinoids, holothurians (138)
Gulf of California: ostracods, additions and corrections and availability of IBM data cards (185)
Gymnagnostus gongros: new genus, new species, trilobite (153)
Gymnagnostus? mexicanus: new genus, new species, trilobite (153)
Halythrix nodosa: new genus, new species, cyanophyte (163)
Hamilton Group: Devonian, New York, worms (27), corals (62)
Haplophragmoides hagni: discussion of validity, foraminifer (14)
Hawkinsaspis: new name, trilobite (145)
Hawkinsia: suppressed name, trilobite (145)
Hazelina alexanderi: new species, ostracod (68)
Heliconema australiensis: new genus, new species, cyanophyte (163)
Heliolites mainensis: new name, coral (182)
Hemiphragma: described from Ordovician strata, Iowa, bryozoan (21)
Hermanites gibsoni: new species, ostracod (68)
Heteraulacaceae: correction of family name, pyrrophyte (110)
Heterocaryontidae: family emended, trilobite (35)
Heterotrypa: described from Ordovician strata, Illinois, Wisconsin, bryozoan (21)
Hexapods: status of knowledge (29)
Hindeodella machetis: new species, conodont (143)
Hindeodella recurvata: new species, conodont (123)
Hindeodella? reversa: new species, conodont (143)
Hindeodella riegeli: new species, conodont (123)
Hindeodella torta: new species, conodont (123)

Hindeodella uniforma: new species, condont (123)
**Hircinisca havliceki:* new species, brachiopod (2)
Holothurians: Cenozoic, Atlantic and Gulf Coastal Province (138)
**Homoeospirella costatula arkansana:* new genus, new species and subspecies, brachiopod (2)
**Homoeospirella costatula costatula:* new genus, new species and subspecies, brachiopod (2)
**Homoeospirella pygmaea:* new genus, new species, brachiopod (2)
Homotrypa: described from Ordovician strata, Illinois, Iowa, Wisconsin, bryozoan (22)
Horridonia bullocki: new species, brachiopod (128)
Hudsonoceras: described from Pennsylvanian strata, Arkansas, ammonoid (144)
Hudsonoceras moorei: new species, ammonoid (144)
Hueco Formation: Permian, Texas fusulinids (179)
Hyalostelia: characters and relationships, sponge (148)
Hyalostelia smithii: redescribed from topotype material, sponge (148)
Icriodus: new species, conodont (143)
Illinois: Mississippian ophiuroids (16), crinoids (64); Ordovician bryozoans (21, 22)
India: Triassic fish (80); Eocene nautiloids (159, 160)
Indiana: Ordovician conodonts (95); Devonian conodonts (134); Devonian, Silurian? gastropods (*Cyclospongia discus*) (175)
International Commission on Zoological Nomenclature: notices (217, 218, 221)
Iowa: Ordovician bryozoans (21, 22)
Ischyrhiza mira schneideri: new subspecies, fish (172)
Ishbel Group: Permian, Canadian Rocky Mountains, brachiopods, gastropods, fish (111)
Jurassic: plants, status of knowledge (43)
Kansas: Cretaceous ammonoids (67)
Kentucky: Mississippian crinoids (64), foraminifers (141); Ordovician conodonts (95)
Koldinioidia sulcatus: new species, trilobite (153)
Kuvelousia leptosa: new genus, new species, brachiopod (205)
Kuvelousia sphiva: new genus, new species, brachiopod (205)
Laborcita Formation: Permian, New Mexico, fusulinids (178)
Lake Waco Formation: Cretaceous, Texas, reptiles (194)
**Leangella* (*Opikella*) *dissiticostella:* new subgenus, new species, brachiopod (2)
Lebensspuren: Recent, North Carolina (54)
Lenticidaris utahensis: new genus, new species, echinoid (92)
Lepidocentrus: functional morphology and evolutionary position discussed, Devonian, echinoid (93)
Leptagonia missouriensis: new species, brachiopod (30)
Leurostega aphelix: new genus, new species, trilobite (153)
Libya: Cretaceous foraminifers (10)
Ligonodina bicurvata: new name, conodont (125)
Ligonodina delicata: replaced name, conodont (125)
Liriospyris: genus emended, radiolarian (58)
Liriospyris elevata: new species, radiolarian (58)
Liriospyris geniculosa: new species, radiolarian (58)
Liriospyris globosa: new species, radiolarian (58)
Liriospyris longicornuta: new species, radiolarian (58)
Liriospyris mutuaria: new species, radiolarian (58)
Liriospyris ovalis: new species, radiolarian (58)
Lodgepole Limestone: Mississippian, Montana, brachiopods (154)
Lonchocephalus chippewaensis australis: new subspecies, trilobite (105)
Lorica: discussion of composition and mode of formation, tintinnids (188)
Loxoconcha atlantica: new species, ostracod (68)
Lueders Formation: Permian, Texas, lungfish (13)
Lungfish: Permian, Texas (13)
Magnumbonella macrura: new genus, new species, brachiopod (30)
Maleri Formation: Triassic, India, fish (80)
Mammals: Eocene, Utah, tracks only (126); summary of knowledge (170); familial position of *Oxyaenoides* (201); evolution of teeth (208)
Marginatia magna: new species, brachiopod (30)
Marginifera: discussion of structural adaptation, brachiopod (60)
Maryland: Paleocene ostracods (68)
Maysville: conodonts, Ohio, Indiana, Kentucky (95)
Megousia solita: new species, brachiopod (205)
***Mercenaria mercenaria:* growth increments, pelecypod (137)
**Meristina clairensis:* new species, brachiopod (2)
**Meristina claritensis:* new species, brachiopod (2)
Mesozoic: ammonoids, recent literature (65); echinoids, discussion of families Collyritidae and Disasteridae (120)
Mexico: Tremadocian nautiloids (53), trilobites (153), gastropods (216); Cretaceous ammonoids (222)
Microflora: Late Precambrian, Australia (163)
Miocene: plants, status of knowledge (6)
Mississippi: Eocene tintinnids (188)
Mississippian: ophiuroids, Illinois (16); conodonts, Missouri (28); brachiopods, Missouri (30), color pattern in *Orthotetes kaskaskiensis* (130), Montana (154); crinoids, Illinois, Kentucky (64); foraminifers, Kentucky (141)

Missouri: Mississippian conodonts (28), brachiopods (30); Cambrian trilobites (105)
Mollusks: Pleistocene, Santa Barbara Island, California (103); **biological and environmental rhythms reflected in shell growth (137)
Montana: Mississippian brachiopods (154)
Monticulipora: described from Ordovician strata, Iowa, bryozoan (22)
Morrowan Series: Pennsylvanian, Arkansas, ammonoids (144)
Murphycops skidmorei: new genus, new species, trilobite (102)
Mytonomys: described from Eocene strata, Utah, rodent (17)
Myxococcoides inornata: new genus, new species, cyanophyte (163)
Myxococcoides minor: new genus, new species, cyanophyte (163)
Myxococcoides reticulata: new genus, new species, cyanophyte (163)
Naheola Formation: Paleocene, Alabama, palynomorphs (114)
Nannoplankton: index and bibliography (108)
Nautiloids: Eocene, distribution of *Aturia* (38), Indiana (159, 160); Tremadocian (Cambrian-Ordovician), Mexico (53); Silurian, Ontario (66)
Navicula rotundella: new name, diatom (3)
Neorhipidognathus radialis: new genus, new species, conodont (125)
Neospathodus cristigalli: new genus, new combination, conodont (123)
Neospathodus lanceolatus: new genus, new species, conodont (123)
Neospathodus microdus: new genus, new species, conodont (123)
Neospathodus newpassensis: new genus, new species, conodont (123)
Nevada: Devonian brachiopods (82, 83); Cambrian trilobites (136)
New Mexico: Permian fusulinids (178); Pennsylvanian algae (195)
New York: Devonian worms (27), trilobites (32), corals (62), conodonts (134); Ordovician trilobites (211)
Nicholsonella: described from Ordovician strata, Iowa, Wisconsin, bryozoan (21)
North America: trilobites, discovery of Tropidocoryphinae (32), Ordovician (211); Triassic echinoids (92); conodonts correlated with European faunas (123), evolution of Triassic forms (124); Ordovician bryozoans (199, 200)
North Carolina: Recent lebensspuren (pelecypod burrows) (54)
North Dakota: Cretaceous pelecypods (52)
Nortonechinus: functional morphology and evolutionary position discussed, Devonian, echinoid (93)
Nothognathella: new species, conodont (143)
O^{18}/O^{16}: in skeletons of Recent and fossil echinoids (206)
Oaxaca (Mexico): Tremadocian (Cambrian-Ordovician) nautiloids (53), trilobites (153), gastropods (216)
Ogilviella rotunda: new genus, new species, brachiopod (101)
Ohio: Pennsylvanian sponges (74); Ordovician conodonts (95)
Oklahoma: *Silurian brachiopods (2); Devonian trilobites (133)
Olenaspella angularis: new species, trilobite (34)
Oligocene: plants, status of knowledge (6); tintinnids, Europe (188)
Oligometopus vermontensis: new species, trilobite (34)
Oncodella idiodentica: new genus, new species, conodont (123)
Onetodus circularis: new species, conodont (125)
Ontario: Silurian nautiloids (66); Ordovician graptolites (210)
Ontogeny: **explanation of form (59); **studied for Silurian crinoid, *Eucalyptocrinites* (117); **studied by analytic methods (156)
Onychaster strimplei: new species, ophiuroid (16)
Onychogype sculptura: new species, trilobite (153)
**Onychotreta (Eilotreta) lentata:* new subgenus, new combination, brachiopod (2)
**Onychotreta (Lissotreta) plicata:* new subgenus, new combination, brachiopod (2)
Ophiuroids: Mississippian, Illinois (16); Cenozoic, Atlantic and Gulf Coastal Province (138)
Opimocythere brouni: new genus, new species, ostracod (68)
Opimocythere elonga: new genus, new species, ostracod (68)
Orbignyella: described from Ordovician strata, Illinois, Wisconsin, bryozoan (22)
Ordovician: bryozoans, Illinois, Iowa, Wisconsin (21, 22), North America (199, 200); nautiloids, Mexico (53); conodonts, Ohio, Indiana, Kentucky (95); trilobites, Quebec (102), Mexico (153), eastern North America (211); graptolites, Ontario (210); gastropods, Mexico (216)
Oregon: Eocene corals (18); Permian brachiopods (205)
**Orthostrophella clairensis:* new genus, new combination, brachiopod (2)
Orthotetes kaskaskiensis: color pattern in Mississippian brachiopods (130)
Oscillatoriopsis obtusa: new genus, new species, cyanophyte (163)
Ostracods: status of knowledge (12, 71); Paleocene, Maryland (68); Pleistocene, Atlantic Coast (69), Santa Barbara Island, California (103); Cenozoic, Atlantic and Gulf Coastal Province (138); Gulf of California, additions and corrections and availability of IBM data cards (185)
Oxyaenoides: familial position, mammal (201)
Pachyrhinosaurus: discussion of skull of Cretaceous reptile (100)
Pacific Basin: Cenozoic radiolarians (58)
Palaeoanacystis vulgaris: new genus, new species, cyanophyte (163)
Palaeolyngbya barghoorniana: new genus, new species, cyanophyte (163)
Palaeoperidinium Deflandre, 1934, or *Palaeoperidinium* Deflandre *ex* Sarjeant, 1967: discussion, pyrrophyte (107)
Paleobiogeography: related to paleomagnetism (177)
Paleobotany: status of knowledge (45)

Paleocene: ostracods, Maryland (68); palynomorphs, Alabama (114); fish, Texas (172)
Paleomagnetism: relationship to paleobiogeography (177)
Paleontologicheskiy Zhurnal: translated into English (50)
Paleosquilla brevicoxa: new genus, new species, crustacean (165)
Paleozoic: corals, status of knowledge (73); plants, status of knowledge (118), biochemical evolution of carbohydrates (184); pelecypods, discussion of family Ambonychiidae (142); gastropods, status of knowledge (220)
Palmatolepis? disparalvea: new species, conodont (134)
Palynology: floral succession and correlation (56); status of knowledge (214)
Palynomorphs: Paleocene, Alabama (114)
Parabolinella prolata: new species, trilobite (153)
Parabolinella tumifrons: new species, trilobite (153)
Parabolinella variabilis: new species, trilobite (153)
Parachirognathus jungi: new species, conodont (123)
Paragondolella excelsa: new genus, new species, conodont (123)
Paragondolella navicula: new genus, new combination, conodont (123)
Paragondolella navicula hallstattensis: new genus, new subspecies, conodont (123)
Paragondolella navicula navicula: new genus, new combination, conodont (123)
Paragondolella navicula steinbergensis: new genus, new subspecies, conodont (123)
Paragondolella polygnathiformis: new genus, new combination, conodont (123)
Paraphoreotropis vermontensis: new species, trilobite (34)
Pelecypods: Cretaceous, North Dakota (52); Recent, North Carolina (54); **biological and environmental rhythms reflected in shell growth (137); Cenozoic, Atlantic and Gulf Coastal Province, paleoecology (138); Paleozoic, discussion of family Ambonychiidae (142); post-Paleozoic, adaptive radiation (176)
Pennsylvanian: gastropods, convergence between two species (51); sponges, Ohio (74); ammonoids, Arkansas (144); algae, New Mexico (195)
Permian: lungfish, Texas (13); amphibians, Texas (44); brachiopods, West Pakistan (60), Australia, Canada, Oregon, Spitzbergen (205); brachiopods, gastropods, fish, Canadian Rocky Mountains (111); fusulinids, New Mexico (178), Texas (179)
Permo-Pennsylvanian: brachiopods, Yukon Territory, Canada (128)
Pharostomina mexicana: new species, trilobite (153)
Phoreotropididae: new family, trilobite (34)
**Placotriplesia juvenis:* new genus, new combination, brachiopod (2)
**Placotriplesia praecipta:* new genus, new combination, brachiopod (2)
Plants: Devonian, status of knowledge (8); Triassic, status of knowledge (42); Jurassic, status of knowledge (43); Paleozoic, status of knowledge (118), biochemical evolution of carbohydrates (184)
Plebejochonetes plebejus: new genus, new combination, brachiopod (23)
**Plectatrypa arctoimbricata:* new species, brachiopod (2)
Pleistocene: diatoms, new names for homonyms (3); ostracods, zoogeography of Atlantic Coast (69); snails, Ellice Islands (98); paleoecology and biostratigraphy, Santa Barbara Island, California (103)
Plesiacanthoceras wyomingense: reported from Graneros Shale and Greenhorn Limestone (Upper Cretaceous), Kansas (67)
Plicanoplia fornacula: new genus, new combination, brachiopod (23)
Plicatolinella ocula: new genus, new species, trilobite (153)
Plicatolininae: new subfamily, trilobite (153)
**Plicocyrtia arkansana:* new species, brachiopod (2)
Plicodevonaria minuta: new genus, new combination, brachiopod (23)
Pliocene: plants, status of knowledge (6); crabs, California (127); bryozoans, Venezuela (207)
***Poecilozonites bermudensis:* ontogenetic allometry, snail (59)
Polygnathus: new species A, conodont (143)
Polygnathus: new species B, conodont (143)
Polygnathus: new species C, conodont (143)
Polygnathus: new species D, conodont (143)
Polygnathus alveoliposticus: new species, conodont (134)
Portaginidae: new family, trilobite (102)
Portaginus robustus: new genus, new species, trilobite (102)
Post-Paleozoic: gastropods, status of knowledge (174); pelecypods, adaptive radiation (176)
Prasopora: described from Ordovician strata, Iowa, Wisconsin, bryozoan (22)
Precambrian: status of knowledge of fossils (57); cyanophytes, chlorophytes, pyrrophytes?, eumycophytes?, schizomycophytes, Australia (163)
Prioniodina excavata: new species, conodont (123)
Prioniodina libita: new species, conodont (123)
Productina: described from Lodgepole Limestone (Mississippian), Montana, brachiopod (154)
Productina lodgepolensis: new species, brachiopod (154)
Protista: status of paleontologic knowledge (186)
Pterocephalops tuberculineata: new species, trilobite (34)
Ptychodon davidi: new species, snail (98)
Punctaspis crassimargo: new genus, new species trilobite (34)
Punctospirifer acutus: new species, brachiopod (30)
Pyrrhophytes: *Palaeoperidinium* Deflandre, 1934, or *Palaeoperidinium* Deflandre ex Sarjeant, 1967, discussion (107); correction of family name (110)
Pyrrophytes: index to genera, subgenera, and sections (106)

Pyrrophytes?: Late Precambrian, Australia (163)
Quaternary: dinoflagellates, several localities (204)
Quebec: Ordovician-Silurian trilobites (102); Ordovician trilobites (211)
Quebecaspis hemispherica: new species, trilobite (34)
Quebecaspis marylandica tuberculata: new subspecies, trilobite (34)
Radiolarians: Cenozoic, Pacific and Caribbean Basins (58)
Recent: lebenspurren (pelecypod burrows), North Carolina (54); snails, Ellice Islands (98); foraminifers, determination of biofacies by cluster analysis (119); burrowing organisms, Florida, Bahamas (169); echinoids, C^{13}/C^{12} and C^{13}/C^{12} in skeletal calcite (206)
Reedops amsdeni: new species, trilobite (133)
Remanellina eocenica: new genus, new species, tintinnid (188)
Reptiles: summary of knowledge (39, 132); Cretaceous, Canada (100), Texas (194); brief discussion of teeth (208)
Reteporellina marsupiata: reported from Pliocene strata, Venezuela, bryozoan (207)
Reticulograptus tuberosus sinclairi: new subspecies, graptolite (210)
Reviews: (4, 7, 11, 25, 31, 36, 37, 41, 48, 61, 63, 76, 77, 78, 85, 88, 96, 109, 115, 139, 157, 158, 166, 173, 180, 183, 189, 191, 196, 198, 213, 215, 219)
Rhipidognathus rowlandensis: new species, conodont (95)
Richardsonella variagranula: new species, trilobite (153)
Richmond: conodonts, Ohio, Indiana, Kentucky (95)
Rioceras minore: new species, nautiloid (53)
Rioceras oaxacaense: new species, nautiloid (53)
RMAR: computer program for biometric analysis of paleontologic data (116)
Rodents: Eocene, Utah (17)
Roundya: new species A, conodont (143)
Sample washing: new method described (223)
Santa Barbara Island: Pleistocene paleoecology and biostratigraphy (103)
Sankia globosa: new species, trilobite (153)
Schizomycophytes: Late Precambrian, Australia (163)
Schubertella minima: suppressed name, fusulinid (179)
Schubertella parva: new name, fusulinid (179)
Schubertellinae: described from Permian strata, Texas, fusulinid (179)
Shagamella ludloviensis: new genus, new species, brachiopod (23)
Shumardia alata: new species, trilobite (153)
Shumardia otenata: new species, trilobite (153)
Silurian: *brachiopods, Arkansas, Oklahoma (2), chonetids (23); nautiloids, Ontario (66); trilobites, Quebec (102); **crinoids, ontogeny of *Eucalyptocrinites* (117); *Cyclospongia discus* (gastropod operculum), Indiana (175)
Siphonophycus kestron: new genus, new species, cyanophyte (163)
Size change: **discussed in development and evolution (20)
Skaneateles Formation: Devonian, New York, corals (62)
South America: Eocene nautiloids (38)
Soviet Union: status of paleontologic knowledge (70)
Spathognathodus: new species A, conodont (143)
Spathognathodus sannemanni: new subspecies A, conodont (143)
Spathognathodus sannemanni adventa: new subspecies, conodont (143)
Spathognathodus sannemanni proximus: new subspecies, conodont (143)
Spathognathodus sannemanni variabilis: new subspecies, conodont (143)
Spathognathodus swanhillensis: new species, conodont (143)
Sphaerophycus parvum: new genus, new species, cyanophyte (163)
Spirographis carpatica: new species, worm (140)
Spitzbergen: Permian brachiopods (205)
Sponges: Pennsylvanian, Ohio (74); redescription of *Hyalostelia smithii* and discussion of *Hyalostelia* (148); Carboniferous, "*Doryderma*" *dalryense* and origin of heloclones and megaclones (149); status of knowledge (150); Devonian, Silurian?, Indiana, *Cyclospongia discus* considered not a sponge but gastropod operculum (175)
*St. Clair Limestone: Silurian, Arkansas, brachiopods (2)
Stage: d'Orbigny's concept (121)
**Stegerhynchus claritense:* new species, brachiopod (2)
Stichopsammia? vokesi: new species, coral (18)
Stigmatella: described from Ordovician strata, Iowa, bryozoan (21)
Synprionoidina?: new species A, conodont (143)
Techniques: for studying radiolarians (58); computer program for biometric analysis of paleontologic data (116); representation of ammonoid suture lines (135); status for knowledge (147); measuring angles of fossil teeth (171); sample washing (223)
Teeth: measuring angles (171); evolution in mammals (208)
Tellina scitula: shell color pattern, North Dakota, Cretaceous, pelecypod (52)
Temnophyllum spiculi: new name, coral (55)
Temnophyllum waltheri: suppressed name, coral (55)
Tenuofilum septatum: new genus, new species, cyanophyte (163)
Tertiary: plants, status of knowledge (6, 46); tintinnids, composition of lorica, systematics, and geologic distribution, Mississippi, Europe (188); **evidence of seasonal growth, vertebrates (203)
Texas: Cretaceous fish (9), reptiles (194), ammonoids (222); Permian lungfish (13), amphibians (44),

fusulinids (179); Recent foraminifers and determination of biofacies by cluster analysis (119); Cretaceous-Paleocene fish (172)
Tinaspis totoyaca: new genus, new species, trilobite (153)
Tintinnids: Tertiary, Mississippi, Europe (188)
Tiñu Formation: Tremadocian (Cambrian-Ordovician), Mexico, nautiloids (53), trilobites (153), gastropods (216)
Toriyamaia: first report from Permian strata, Texas, fusulinid (179)
Toriyamaia americana: first species of genus recognized from North America, fusulinid (179)
Tracks: Eocene, Utah (126)
Tremadocian (Cambrian-Ordovician): nautiloids, Mexico (53), trilobites (153), gastropods (216)
Triassic: plants, status of knowledge (42); fish, India (80); echinoids North America (92); conodonts, North America, Europe (123); evolution of platform types (124)
Trilobites: Devonian, New York (32), Oklahoma (133); Cambrian, Vermont (34, 35), Missouri (105), Nevada (136); Ordovician-Silurian, Quebec (102); new and suppressed names (145); Tremadocian (Cambrian-Ordovician), Mexico (153); Ordovician, eastern North America (211); status of knowledge (212)
Trissocyclidae: family emended, radiolarian (58)
Trissocyclidae: Cenozoic, Pacific and Caribbean Basins, radiolarian (58)
Tropidocoryphe richterorum: new species, trilobite (32)
Tropidocoryphinae: discovered in North America, Devonian, trilobite (32)
Tytthocorys coronula: new genus, new species, tintinnid (188)
Uinta Formation: Eocene, Utah, rodents (17)
Ungdarella americana: new species, alga (195)
Unispirifer? corpulentus: new species, brachiopod (30)
United States: status of paleontological knowledge (49, 89)
Utah: Eocene rodents (17), tracks (126)
Vagrania gronbergi: new species, brachiopod (83)
Venericardia (pelecypod) *sensu lato:* paleoceology of Cenozoic forms, Atlantic and Gulf Coastal Province (138)
Venezuela: Pliocene bryozoans (207)
Vermont: Cambrian trilobites (34, 35), description of type section of Gorge Formation (168)
Vertebrates: Pleistocene, Santa Barbara Island, California (103); summary of knowledge (155); **Tertiary, evidence of seasonal growth (203)
Vetustocytheridea fornicata anteronoda: new subspecies, ostracod (68)
Vetustocytheridea macrolaccus munseyi: new subspecies, ostracod (68)
Virginia: Ordovician trilobites (211)
**Virginiata arkansana:* new genus, new combination, brachiopod (2)
Volborthella: biologic relationships and occurrence in Cambrian strata of California (104)
West Pakistan: Permian brachiopods (60)
Wewokella: described from Pennsylvanian strata, Ohio, sponge (74)
White Head Formation: Ordovician-Silurian, Quebec, trilobites (102)
Wisconsin: Ordovician bryozoans (21, 22)
Wolfcamp Series: Permian, Texas, fusulinids (179)
Worms: Eocene, Greece (15); Devonian, New York (27); *Zoophycos* and classification of sabellid forms (140)
Worthenia tabulata: convergence with *Glabrocingulum (Ananias) welleri,* gastropod (51)
Yukon Territory: Devonian brachiopods (101); Permo-Pennsylvanian brachiopods (128)
Yvonniellina campanula: new genus, new combination, tintinnid (188)
Yvonniellina feugueuri: new genus, new combination, tintinnid (188)
Zone: d'Orbigny's concept (121)
Zoophycos: described from Eocene rocks of Greece, worm (15); discussed (140)
Zoophycos massalongi: new species, worm (140)
Zosterosphaera tripunctata: new genus, new species, pyrrophyte? (163)